Informal document VIAQ-05-09

## Korea comments on working items

The 5th VIAQ meeting Geneva, June 8th

KATRI, The Republic of KOREA

(Korea Automobile Testing & Research Institute)

MOLIT
Ministry of Land,
Infrastructure and

**KATRI**Korea Automobile testing & research

### Working Items

Working Item List VIAQ-05-04

- 1. Vehicle categories
- 2. Ambient mode (soak temperature)

# MOLIT Ministry of Land, Infrastructure and

Korea Automobile testing & research Institute

- ◆ The test method on VIAQ Standard
- ✓ Scope of Application
  - Passenger cars, and light duty buses, vans and trucks
  - 4 weeks(14-28 days) from the date of manufacture
- ✓ Measurement Substances
  - Formaldehyde, Benzene, Toluene, Xylene, Ethylbenzene, Styrene, and Acrolein (7 substances)

Q	50cm	
1		
\ (		

Time	Temp Stabilization Min. 12 hours	Ventilation 30 min	Doors Closed 2 hours	sampling 15min
Cabin Temp	25 ±2 ℃	25 ±2 ℃	25 ±2 ℃	Day 1 : Sample 1,2,3 Day 2 : Sample 4,5,6

#### MOLIT

Ministry of Land, Infrastructure and Transport

#### KATRI

Korea Automobile testing & research Institute

### VIAQ Test data for passenger cars and small pick-up trucks

- Vehicle category is a very difficult issue. All vehicles can be faced with vehicle interior air quality issues,
   since they are made from new materials. Due to practical problems, it is very difficult to address all vehicle categories. So, vehicle categories should be considered in a phased approach.
- The harmonized test procedure can apply to vehicle categories M1 and N1. So, contracting parties can choose the vehicle categories depending on their situations.

(unit: µg/m³)

Туре	Vehicles	Formaldehyde	Toluene	Ethylbenzene	Styrene	Benzene	Xylene	Acrolein
		13	27	15	1	1	14	<0.01
	20		176	25	4	1	63	<0.01
Passenger Cars		46	238	41	6	3	55	<0.01
		25	294	16	3	3	47	<0.01
		15	260	33	7	3	72	<0.01
Small	70	47	315	11	2	3	40	<0.01
pick-up Truck		9	893	59	22	12	244	⟨0.01

MOLIT

Ministry of Land, K Infrastructure and to

Korea Automobile testing & research Institute

KATRI

### ◆ Vehicle category

#### √ Background

After analyzing the existing standards, the vehicle category was investigated by the following table.
 Application on vehicle category is different for each country, and varies from test mode.

#### ✓ Current Status

• It was generally agreed at the second meeting that M1 (light duty passenger cars) were included. Korea requests to include N1 (light duty trucks) into the standard. There is no experience with N1 measurement in parking and ambient mode in ISO standards. (VIAQ-04-11)

Test mode	KOREA	CHINA	JAPAN(JAMA)	ISO	VIAQ IWG
Ambient Mode	Passenger car, Small vans, Trucks	M1, M2, M3 and N	·-	Passenger car	?
Parking Mode	-	-	Passenger car Bus Truck	Passenger car	?
Driving Mode	-	-	Passenger car Bus Truck	Passenger car	?
Reference	"MOLIT 2003-549"	"HJ/T 400-2007"	JAMA Report No.98	"ISO 12219-1"	

## VIAQ Test Procedures & Proposal

#### MOLIT


Ministry of Land, Infrastructure and

#### **KATRI**

Korea Automobile testing & research Institute

### ◆ Transposition into the Korea VIAQ standard

- ✓ It's very important to harmonize the test procedure. Korea is willing to embrace the VIAQ recommendation into our national standards.
- ✓ To enable harmonization, the coverage of VIAQ recommendation should include the coverage of existing standards.



MOLIT
Ministry of Land,
Infrastructure and

Korea Automobile testing & research

KATRI

Institute

### ◆ Vehicle category

#### ✓ Consideration

- Vehicle category application was discussed very intensively as to what to cover and the
  extent of coverage. In establishing vehicle category coverage, we considered the following
  points.
- 1. Every new car using a new interior material is to be included in principle.
- 2. Vehicle category should be covered by test modes that are checked by technical data.
- 3. Medium duty and heavy duty vehicles are not included in this test procedure for the time being, due to cost-efficiency (e.g. insufficient size test chamber, lower production, variety of vehicle models, etc.)
- ✓ Possible option : Prefer option 2
- Option 1: Vehicle categories M1
- Option 2: Vehicle categories M1 and N1
- Option 3: Vehicle categories M1(All test mode) and N1(only ambient mode)
- Other vehicle categories should be considered in a phased approach, and it will be discussed at a later stage. Contracting parties should be able to adopt vehicle categories depending on their own situations.

#### MOLIT

Ministry of Land, Infrastructure and

#### **KATRI**

Korea Automobile testing & research Institute


### ◆ Ambient Mode (Soak Temperature)

#### √ Background

Interior air emissions from materials can vary depending on the temperature. Emission rates increase
gradually as temperature rises. The soak temperature is an important factor because it directly affects the
test results.

#### ✓ Current Status

 Ambient temperature is still being discussed. China and Korea recommend 25 °C. OICA recommend 23 °C, (VIAQ-04-11)



< VIAQ-04-08 Hyundai GRPE VIAQ IWG >

#### MOLIT

Ministry of Land, Infrastructure and Transport

#### **KATRI**

Korea Automobile testing & research Institute

10 | 11

9.6 4.7

12

4.7 -1 12 5.9

- ◆ Ambient Mode (Soak Temperature)
- ✓ Worldwide Ambient Temperature
- Ambient temperature varies from region to region

					-4	do		-	•													•	- 3				
Paris(1971-2000)	1	2	3	4	5	6	7	8	9	10	11	12								9	A.		3				
Min averg Temp (°C)	2.5	2.8	5.1	6.8	11	13	16	15	13	9.2	5.3	3.6		Ne	w Yo	rk(19	964-1	<b>990</b> )	1	2	3	4	5	6	7	8	(
Max averg Temp (°C)	6.9	8.2	12	15	19	22	24	25	21	16	10	7.8	10		ave	_			-4		1.1	6	11	17	20	20	1
														Ma	x ave	erg Te	emp (	°C)	3.1	4.2	8.9	15	20	25	28	28	2
Madrid (1971-2000)	1	2	3	4	5	6	7	8	9	10	11	12	w		4	.45	- (-)					-			V		
Min averg Temp (°C)	2.6	3.7	5.6	7.2	11	15	18	18	15	10	6	3.8	4			1	1				- 3			-			
Max averg Temp (°C)	9.7	12	16	18	21	27	31	31	26	19	13	10	7					,		HAI	elle	-		1			
			20	M							0	1	6						0.	号이	메리	71		7			
		么	9.	0							4	1											-				
	1				•	•				6	0									9		0					
				-			0 0			6	•									1	- 5	-					
11		OF	뜨리	71		3	"										0					1	-				
		01:		-1			V		-04		3	-										₹	1				
		-					-	•	8	4	*													1			
		1		0							7 2			2								- 1			(Care		
		11	10.						-	-	1			3									남	) H H I I	리카	9	
		- 1									A.55				4		1	l			1	1	1		1		
			V		•			ВІ	EIJIN	G(19	61-19	90)	1	2	3	4	5	6	7	8	9	10	11	12	0		
								Mi	in ave	erg T	emp (	°C)	-9	-7	-1	7.2	13	18	22	20	14	7.3	-0	-7	<u> </u>		
								M	ax av	erg T	emp	(°C)	1.6	4	11	20	26	30	31	30	26	19	10	3.3			
								SI	EOUL	(19	71-20	00)	1	2	3	4	5	6	7	8	9	10	11	12			
											emp (		-6	-4	1.1	7.3	_		22	22	17		-			Ļ	i=
									av	J. 9 1	ор (	٧)	٦		'''	, .0	٠.٠				11	J 0.0	2.0	J .	1	- 1	-

Max averg Temp (°C)



1.6 4.1

10

18 23

27 | 29 | 30 |

26 20

12 4.2

### MOLIT

Ministry of Land, Infrastructure and Transport

#### **KATRI**

Korea Automobile testing & research Institute

- ◆ Ambient Mode (Soak Temperature)
- ✓ Indoor air quality testing standards process (Korea Ministry of Environment Protection 2010-24)
- Concentration unit (μg/m³) is based on 25°C, 1atm
- ✓ Standard reference conditions for temperature and pressure
  - \* IUPAC (SATP, Standard Ambient Temperature and Pressure): 25.0 °C
  - \* 40 CFR 50.3 Reference conditions(all measurement of air quality): 25.0 °C, 760 mmHg

Standard reference conditions in current use										
Temperature	Absolute pressure	Relative humidity	Bublishing or establishing ontity							
°C	kPa	%	Publishing or establishing entity							
0	100.000		IUPAC (STP)[1]							
0	101.325		NIST, <sup>[7]</sup> ISO 10780, <sup>[8]</sup> formerly IUPAC <sup>[1]</sup>							
15	101.325	O <sup>[2][9]</sup>	ICAO's ISA, <sup>[0]</sup> ISO 13443, <sup>[2]</sup> EEA, <sup>[10]</sup> EGIA <sup>[11]</sup>							
20	101.325		EPA,[12] NIST.[13] This is also called NTP, Normal Temperature and Pressure.[14]							
22	101.325	20-80	American Association of Physicists in Medicine <sup>[15]</sup>							
25	100.000		IUPAC (SATP) <sup>[1]</sup>							
25	101.325		EPA <sup>[16]</sup>							
20	100.000	0	CAGI <sup>[17]</sup>							
15	100.000		SPE <sup>[18]</sup>							
20	101.3	50	ISO 5011 <sup>[19]</sup>							
°C	mmHg	%								
20	760.0	0	GOST 2939-63							
	-									

< Standard conditions for temperature and pressure from Wikipedia>

10p

**MOLIT**Ministry of Land,

KATRI Korea Automob

Ministry of Land, Korea Automobile Infrastructure and Transport testing & research Institute

### ◆ Ambient Mode (Soak Temperature)

- ✓ Consideration
- We considered the temperature most commonly used by people in buildings, homes and vehicles. The temperature range is 20°C ~ 30°C.
- using 25°C as our national standard, and the soak temperature was related to the limit values
  of harmful substances.
- ✓ Possible option : Prefer option 1
- Option 1: 25 °C
- Option 2: 23 °C
- Option 3: 25 °C and 23 °C
- 25°C for the soak temperature as a harmonized level taking into account standard ambient conditions