Updated Proposal for an Approach to Defining Rules of the Road:
United Kingdom Proposal

Douglas Hannah, Pete Edwards
International Vehicle Standards, Department for Transport, UK

Dr Siddartha Khastgir
Head of Verification & Validation, Intelligent Vehicles
WMG, University of Warwick, UK

Motivation

FIRST PART: ADS Safety Topics

FRAV DDT Workstream

The ADS should drive safely

1. The ADS should be capable of performing the entire Dynamic Driving Task (DDT)
2. The ADS should recognize the ODD conditions and boundaries of the ODD of its feature(s)
3. The ADS should detect and respond to objects and events relevant for the DDT
4. The ADS should comply with traffic rules
5. The ADS should interact safely with other road users

Motivation

FIRST PART: ADS Safety Topics

The ADS should drive safely

1. The ADS should be capable of performing the entire Dynamic Driving Task (DDT)
2. The ADS should recognize the
3. The ADS should detect and res
4. The ADS should comply with
5. The ADS should interact safely

FRAV DDT Workstream

FRAV ORU Workstream

	The ADS should	The ADS should	Scenario/Virtual test/Track test:
3	**respond in line with traffic laws to markings and signals used to identify the functions and authorizations of ORUs.**	The ADS should respond in accordance with traffic rules upon the operational status or dedicated signals displayed by emergency/enforcement vehicles.	• **Object:** Emergency/Special vehicle with visual signal (flash/painting), ego vehicle; • **Case:** 2-lane road, an emergency vehicle moves at low speed (in operational state) ahead while test vehicle drives in the same lane.

THE UNIVERSITY OF WARWICK

Motivation

FIRST PART: ADS Safety Topics

The ADS should drive safely

1. The ADS should be capable of performing the entire Dynamic Driving Task (DDT)
2. The ADS should recognize the
3. The ADS should detect and res
4. The ADS should comply with
5. The ADS should interact safely

FRAV DDT Workstream

3	The ADS should **respond in line with traffic laws to markings and signals** used to identify the functions and a	● The ADS should respond in accordance with traffic rules upon the operational status or dedicated signals displayed by	Scenario/Virtual test/Track test: ● **Object:** Emergency/Special vehicle with visual signal (flash/painting), ego vehicle; ● **Case:** 2-lane road, an emergency vehicle moves at low speed (in	

FRAV ORU Workstream

5.1.2. The activated system shall comply with traffic rules relating to the DDT in the country of operation.

UNECE Reg 157

4.1.1. Verification of the function of "The System"

The Type approval authority shall verify "The System" under non-failure conditions by testing on a track a number of selected functions from those described by the manufacturer in paragraph 3.2. above, and by checking the overall behaviour of the system in real driving conditions including the compliance with traffic rules.

WMG
THE UNIVERSITY OF WARWICK

UK Highway Code: Rule 195

"As you approach a zebra crossing: look out for pedestrians waiting to cross and be ready to slow down or stop to let them cross; you MUST give way when a pedestrian has moved onto a crossing"

Rule 19: Zebra crossings have flashing beacons

How long to wait?

| Behaviour | ODD | Assumptions |

WMG
THE UNIVERSITY OF WARWICK

ODD based Codified Rules of the Road

*Current Rules of Road (for human drivers)* $= f($*Operating condition, Behaviour competency, Assumptions*$)$

Applying the proposed process

Codified Rule of the Road $= f($*Operating condition, behaviour competency, driving characteristics*$)$

WMG
THE UNIVERSITY OF WARWICK

Using Rules of Road in wider Safety Assurance

Layer 1: High level requirements

Layer 2: Process to create verifiable req.

Layer 3: Concrete rules/values for req.

Focus for FRAV:
Process for deriving requirements

Layer 1: High level requirements

Layer 2: Process to create verifiable req.

Layer 3: Concrete rules/values for req.

WMG
THE UNIVERSITY OF WARWICK

Using Rules of Road in wider Safety Assurance

Using Rules of Road in wider Safety Assurance

Focus for FRAV:
Process for deriving requirements

Layer 1: High level requirements

Layer 2: Process to create verifiable req.

Layer 3: Concrete rules/values for req.

Deriving Requirements from Rules of Road
UK Highway Code Rule 125

- The speed limit is the absolute maximum and does not mean it is safe to drive at that speed irrespective of conditions. Driving at speeds too fast for the road and traffic conditions is dangerous. You should always reduce your speed when:

  - the road layout or condition presents hazards, such as bends
  - sharing the road with pedestrians, cyclists and horse riders, particularly children, and motorcyclists
  - weather conditions make it safer to do so
  - driving at night as it is more difficult to see other road users.

Deriving Requirements from Rules of Road UK Highway Code Rule 125

- speed limit is absolute maximum **and** does not mean safe speed. reduce speed when:
  - road layout or condition hazards, bends
  - sharing the road pedestrians, cyclists and horse riders, particularly children, and motorcyclists
  - weather conditions make it safer
  - driving at night

Behaviour

Scenery

Actor

Environment

Rule/Parameter Qualifying

Problematic word use

Gray Text — Non-Informative

© Siddartha Khastgir, 2022

Deriving Requirements from Rules of Road UK Highway Code Rule 125

- speed limit is absolute maximum **and** does not mean safe speed. reduce speed when:
  - road layout or condition hazards, bends
  - sharing the road pedestrians, cyclists and horse riders, particularly children, and motorcyclists
  - weather conditions make it safer
  - driving at night

▶ $isVehicle(x) \rightarrow speed(x) < limit(speed)$

▶ $isVehicle(x) \land (isAtHazard(x) \lor (near(x,a_1) \land isPedestrian(a_1)) \lor (near(x,a_2)) \land isCyclist(a_2)) \lor (near(x,a_3)) \land isHorseRider(a_3)) \lor (near(x,a_4)) \land isChildren(a_4)) \lor (near(x,a_5)) \land isMotorcyclist(a_5)) \lor isUnsafeWeather(env) \lor isNight(tod))$

$\rightarrow action(reduceSpeed)$

Need to define what reduceSpeed means
What would an acceptable "slow" speed mean?

Define "near" ; "hazard" ; "UnsafeWeather"

$(near(x,a_1) \land \neg isVehicle(a_1))$

We define vehicle to be anything that is a four wheeler or larger

WMG
THE UNIVERSITY OF WARWICK

Thank you…
Discussions…

5G

CRUISE CONTROL

BLUETOOTH

START
STOP

@siddkhastgir

Dr Siddartha Khastgir CEng MIMechE

S.Khastgir.1@warwick.ac.uk

WMG
THE UNIVERSITY OF WARWICK