Submitted by the experts from France

DCAS & Other Systems Interactions

17

MINISTÈRE DE LA TRANSITION ÉCOLOGIQUE ET DE LA COHÉSION DES TERRITOIRES

Liberté Égalité Fraternité







DCAS = L2 + specific feature Current Longitudinal Generic requirements 100% Lateral OR + + Specific features approved under approved under approved under DCAS UNR n°13H UNR n°79 under DCAS TF ADAS 18th Step 1 session decission: Current master Separate means of activation* DCAS = L2 + specific feature Unique mean of activation document should reflect this state Longitudinal Generic requirements 100% approved under DCAS with Lateral + + reference UNR n°79 for classic lateral approved under approved under Specific features UNR n°79 UNR n°13H under DCAS requirements Step 2 DCAS = all L1 and L2 systems 100% approved under DCAS whatever the mean of activation with phase in/out of requirements UNR n°79 to DCAS Regulation

TF ADAS 20th session DCAS: A two-step approach toward a L1 & L2 systems regulation



TF ADAS 20th session DCAS & Other Systems Interactions



5.2. DCAS interaction with other vehicle assistance systems


Note: Consider whether activation conditions need to be included (e.g. listing systems such as AEBS, lane departure or prevention, RMF)

While the system is active, its operation shall not deactivate or suppress the functionality of other activated assistance systems (e.g. AEBS) unless this would impact the safe performance of DCAS during nominal operation

Transitions between DCAS and other assistance or automation systems, prioritization of one over the other and any suppression or deactivation of other assistance systems to ensure the safe performance of DCAS during nominal operation, if applicable, shall be described in detail in the documentation presented to the Approval Authority.


TF ADAS 20th session DCAS & Other Systems Interactions





TF ADAS 20th session DCAS & Other Systems Interactions - Example









Liberté Égalité Fraternité

www.utac.com