

# Conformable Hydrogen Tanks

Need for Standards Development

Karthick Chandraseker, Sr. Engineer karthick@voluteinc.com

### Volute has invented a conformable hydrogen tank

Folds to fit anywhere


20% lower cost

No pre-cooling during fill

Seamless design

Continuous manufacturing


70 MPa operation






## Volute's tank makes better use of space

- Foldable design can be configured to fit irregular spaces in vehicles
- Stores 25% more fuel when compared to a standard cylinder filling the same bounding box



#### Volute's tank has a smaller radius and thus thinner walls






A subscale tank is currently undergoing UN GTR 13 tests



### We also develop analytics to better understand tank performance



#### CSA N/HGV2 committee has proposed revisions for conformables

roposed Design Qualification Tests For Conformable Tank Designs:				NEW NGV2 QUALIFICATION TESTS FOR CONFORMABLE TANKS			
roposca Desigi	ii Quaiiiicatioii iests i c	oomormable rank bes	ngns.	Vibration Test	Not Required	Pressurized to 100% of	Pressurized to 100% of
7	Type A - Direct	Type B - Protective	Type C - Protective			service pressure and	service pressure and
	Conformable		Shell Conformable			prepped for test by	prepped for test by
	Conformable	Shell Conformable				placing it in its proposed design	placing it in its proposed design
		(non-load bearing)	(load bearing)			position. Conduct	position. Conduct
DEFINITIONS	Pressure vessel or	Pressure vessel or	Pressure vessel or			vibration sinusoidal	vibration sinusoidal
						form with frequency	form with frequency
NOTE:	assembly consisting of	assembly of possibly	assembly of possibly			Range: 5 to 200 Hz with	Range: 5 to 200 Hz * s
Conformable	a non-cylindrical or	irregular shape	irregular shape			TBD load profile (max.	with TBD load profile.
tank definition	non-spherical (i.e.	contained within a	contained within a			5g). Change of	Amplitude (at 5 Hz): 10
	The second secon					Frequency at 1 octave per min. Duration per	mm. Change of Frequency: 1 Octave
assume CNG	irregular) shape.	conformable protective	conformable protective			Axis (X, Y, and Z) of 8 h	per min. Duration per
only (without		shell that is not under	shell that is under			(24 h in total). No	Axis (X, Y, and Z): 8 h
adsorbents)		any stress associated	stress associated with			leakage during or at the	(24 h in total)
adsorbents)						completion of the test.	
		with the application of	the application of gas			If protective shell is gas-	
		gas pressure.	pressure			tight (able to hold 50	
EXISTING NGV2 QUALIFICATION TEST MODIFICATIONS FOR CONFORMABLE TANKS						psi), measurement samples must be taken	
						from annular space	
Ambient	No change	If pressure cycling	Cycle testing requires a			within shell (to ensure	
cycling		causes damage to the	minimum 2 second hold			no CNG build-up within	
(Section 16.3)		protective shell, then	at the maximum and			a sealed shell).	
(5000011 10.5)				Mechanical	Not Required	Pressurized to 100% of	Pressurized to 100% of
		this is considered a test	minimum pressure of	Shock Test		service pressure and	service pressure and
		failure. A shell failure is	each cycle, to ensure			prepped for test by	prepped for test by
		defined as cracks or	pressure equalizes in			placing it in its proposed design	placing it in its proposed design
			•			position. Conduct a	position. Conduct a
		fractures in the shell, or	the pressure containing			shock half-sine pulse	shock half-sine pulse for

This is currently undergoing discussion for incorporation into NGV2 in 2018 (meeting next week)



# Conformable Hydrogen Tanks

Need for Standards Development

Karthick Chandraseker, Sr. Engineer karthick@voluteinc.com