

### Proposal for restructuring the text

topic	current place in RID	proposed place for step 2
General requirements regarding Conformity of Production	Main text: Administrative provisions, par. 3.5.	New par. 6 „Conformity of Production“
Photometric CoP requirements for AFS	Main text: Specific technical requirements, par. 5.3.6.	New par. 6 „Conformity of Production“
Photometric CoP requirements for front fog lamps	Main text: Specific technical requirements, par. 5.5.	New par. 6 „Conformity of Production“
Tolerance requirements for fog lamp CoP procedure (20%, 30% values)	Main text: Specific technical requirements, par. 5.5.4.	New par. 6 „Conformity of Production“

**Proposal for restructuring the text**

topic	current place in RID	proposed place for step 2
Photometric CoP requirements for all other lamps (except AFS and front fog lamps)	Annex 2, par. 1.2.	New par. 6 „Conformity of Production“
Cut-off movement	Annex 2, par. 1.3.	New par. 6 „Conformity of Production“
Quality of cut-off	Annex 2, par. 1.4.	New par. 6 „Conformity of Production“
Fog lamp provisions	Annex 2, par. 1.5.	New par. 6 „Conformity of Production“

**Proposal for restructuring the text**

topic	current place in RID	proposed place for step 2
Chromaticity	Annex 2, par. 1.6.	New par. 6 „Conformity of Production“
Minimum Requirements for verification of conformity by the manufacturer	Annex 2, par. 2.	Annex 2, par. 2.
Minimum requirements for sampling by an inspector, first and repeated samplings	Annex 3, par. 2.	Annex 3, par. 2.